

Label Printers Label Applicators & Accessories



PRIMERA
TECHNOLOGY, INC.

www.primera.com

NEW

LX3000

COLOR LABEL PRINTER

NOW WITH
BIG INK™!



LX3000 is the newest, highest-quality label printer developed by Primera. LX3000 features an all-new tanked-ink system and print head for either dye or pigment ink. The tanked-ink system allows LX3000 to give a lower cost per print than any other printer.


LX3000 Features Include:

- » Color inkjet printing at up to 4800 dpi
- » Top print speed of 4.5"/sec.
- » Print width of 0.75" to 8.25" (19mm to 210mm)
- » Print length of 0.75" to 24" (19mm to 609mm)
- » Wired ethernet for network connections

Large, separate ink tanks are chipped to track levels in PrintHub.









Separate CMY Tanked Ink is fed through tubing to the LX3000 print head



LX3000 prints on pre die-cut, continuous, and black mark labels.



	LX 500 COLOR LABEL PRINTER	LX 500c COLOR LABEL PRINTER	LX 600 COLOR LABEL PRINTER	LX 610 COLOR LABEL PRINTER	LX 910 COLOR LABEL PRINTER	LX 3000 COLOR LABEL PRINTER
						
Recommended Labels/Day	1 to 1,000		1 to 3,000		1 to 5,000	1 to 7,500
Label Types	Pre die-cut, continuous, and black marks		Pre die-cut, continuous and black marks (Plus on-demand digital die-cut for LX610)		Pre die-cut, continuous, and black marks	Pre die-cut, continuous, and black marks
Maximum Media Width (Pre die-cut labels)	4.25" (108mm)		5.125" (130mm)		8.375" (213mm)	8.375" (213mm)
Maximum Print Width (Pre die-cut labels)	4.25" (108mm)		5.00" (127mm)		8.25" (210mm)	8.25" (210mm)
On-Demand Digital Die-Cutting	No		Yes - LX610 only		No	No
Print Resolution	Up to 4800 dpi		Up to 4800 dpi		Up to 4800 dpi	Up to 4800 dpi
Print Speed (up to)	2.5"/sec. (64mm/sec.)		4.5"/sec. (114mm/sec.)		4.5"/sec. (114mm/sec.)	4.5"/sec. (114mm/sec.)
Ink Cartridge(s)	Single CMY		Single CMY, ultra-high yield		Single CMY, ultra-high yield	Separate CMY, Tanked Ink
Ink Type(s)	Dye		Dye or Pigment*		Dye or Pigment*	Dye or Pigment*
Built-in Cutter	Yes - LX500c only		Yes		Yes	Yes
Wired/Wireless Ethernet	No		No		No	Yes**
Operating System Compatibility	Windows® 7/8/10+ or Mac OS X 10.11+		Windows® 7/8/10+ or Mac OS X 10.11+		Windows® 7/8/10+ or Mac OS X 10.11+	Windows® 7/8/10+

*added water and UV resistant ink

**wireless adapter required

	AP 360 LABEL APPLICATOR	AP 362 LABEL APPLICATOR	AP 550 LABEL APPLICATOR
			
Labels Applied	1 at a time	2 at a time (front and back)	1 at a time
Types of Containers	Cylindrical	Cylindrical	Flat or Tapered
Labels/Hour (up to)	1200	1200	500
Maximum Container Width	9.4" (239mm)	9.4" (239mm)	12"+ (305mm+)
Maximum Container Diameter/Height	8" diameter (203mm)	8" diameter (203mm)	8" high (203mm)
Maximum Label Width	8.375" (213mm)	8.375" (213mm)	4.125" (105mm)